

佛山新思力德五金
FOSHAN NEWSLIDE HARDWARE

佛山新思力德建筑五金
电话: +86 16626956080
邮箱: INFO@NEWSLD.COM
地址: 广东省佛山市南海区大沥镇风雅新区八路1号

FOSHAN NEW SLIDE ARCHITECTURAL HARDWARE FACTORY
TELL: +86 16626956080
EMAIL: INFO@NEWSLD.COM
ADD: No.1-2 Fengya District, Dali Town, Nanhai District,
Guangdong Province, China 528251.



WECHAT



WHATSAPP

<http://www.newsld.com>

公司简介 COMPANY INTRODUCTION

佛山新思力德五金配件公司，致力于提供性能优越、美观实用的高品质门控五金，淋浴房五金与玻璃配件等。


主要产品包括：玻璃五金配件，浴室夹，卫浴滑轮，地弹簧，门锁，拉手，免挖坑地弹簧，吸盘，联动门吊轮，合页，配件和铝型材产品等。

Foshan NEW SLIDE Hardware Accessories Company is the specialized provider of high-quality door control hardware, bathroom hardware and glass fittings products. Our attention is focused on functionality and appearance. Our product range covers glass fittings, shower hinge, shower roller, floor spring, door lock, door handle, non-digging patch fitting, glass suction cup, synchronized door wheel, hinge, accessories, aluminum profile and etc.




公司始建于2007年，10多年来，不断引进先进生产设备、工艺流程和管理理念，并不懈追求着技术创新和品质提升。我们将ISO9001质量管理体系，灌输于生产和管理的每一个环节，以确保我们每一个产品均符合质量标准。我们秉承“质量立根本，诚信促发展”的宗旨，标准与个性的糅合，让我们的产品最大限度地满足了客户的个性品味和建筑主体的性能需求。

NSLD Established in 2007, with 10 years development, we constantly introduce advanced equipment, processing and management. We are committed to technical innovation, as well as the quality upgrading. We strictly carry on the quality standard ISO9001. Quality controlling goes through all procession, whereby ensuring that our product meets your discerning tastes and constructional requirements.



We are following the objective of QUALITY FIRST, CUSTOMER FIRST. Let the quality and service speak on our behalf. We are highly devoted to pioneering and innovation, with the favourable price, the outstanding quality, to make a concession to every customers.

通过多年努力，我们建立了自主品牌“思力德SILIDE”。凭借着良好的声誉，卓越的品质，精湛的研发能力和专业周到的售前售后服务，我们的产品热销欧美，中东、非洲，东南亚等多个国家。



Hopefully, we will have the opportunity to bring profits to you. With your support and trust, we have confidence to do the best for you!


以品质为代言，以服务作护航。我们立足本国，放眼全球，开拓创新，追求卓越。诚邀各界朋友携手合作，共创美好明天！



SH-8080




- Material: Brass
- Waterproof hinge with decorative cover
- Irrespective of left and right type
- Fixed angle can adjust plus and minus 15 degrees
- Connector glass to wall 90°
- Suitable for 6-10 mm glass
- Two hinges for a maximum load bearing is 45kgs
- It is with self-closing function when the door is closed to 25°
- 材质：铜
- 防水铰链带装饰盖
- 不分左右式
- 固定角度可调整正负15°
- 玻璃对墙 90°连接
- 适用于 6-10mm 玻璃
- 两只最大承重 45kgs
- 闭门成 25°时带自动闭门功能



SH-8081




- Material: Brass
- Waterproof hinge with decorative cover
- Irrespective of left and right type
- Fixed angle can adjust plus and minus 15 degrees
- Connector glass to wall 90°
- Suitable for 6-10 mm glass
- Two hinges for a maximum load bearing is 45kgs
- It is with self-closing function when the door is closed to 25°
- 材质：铜
- 防水铰链带装饰盖
- 不分左右式
- 固定角度可调整正负15°
- 玻璃对墙 90°连接
- 适用于 6-10mm 玻璃
- 两只最大承重 45kgs
- 闭门成 25°时带自动闭门功能



SH-8082




- Material: Brass
- Waterproof hinge with decorative cover
- Irrespective of left and right type
- Fixed angle can adjust plus and minus 15 degrees
- Connector glass to glass 135°
- Suitable for 6-10 mm glass
- Two hinges for a maximum load bearing is 45kgs
- It is with self-closing function when the door is closed to 25°
- 材质: 铜
- 防水铰链带装饰盖
- 不分左右式
- 固定角度可调正负15°
- 玻璃对玻璃135°连接
- 适用于 6-10mm 玻璃
- 两只最大承重 45kgs
- 闭门成 25°时带自动闭门功能



SH-8083




- Material: Brass
- Waterproof hinge with decorative cover
- Irrespective of left and right type
- Fixed angle can adjust plus and minus 15 degrees
- Connector glass to glass 180°
- Suitable for 6-10 mm glass
- Two hinges for a maximum load bearing is 45kgs
- It is with self-closing function when the door is closed to 25°
- 材质: 铜
- 防水铰链带装饰盖
- 不分左右式
- 固定角度可调正负15°
- 玻璃对玻璃180°连接
- 适用于 6-10mm 玻璃
- 两只最大承重 45kgs
- 闭门成 25°时带自动闭门功能



SH-8084



- Material: Brass
- Waterproof hinge with decorative cover
- Irrespective of left and right type
- Fixed angle can adjust plus and minus 15 degrees
- Connector glass to glass 90°
- Suitable for 6-10 mm glass
- Two hinges for a maximum load bearing is 45kgs
- It is with self-closing function when the door is closed to 25°
- 材质：铜
- 防水铰链带装饰盖
- 不分左右式
- 固定角度可调整正负15°
- 玻璃对玻璃90°连接
- 适用于 6-10mm 玻璃
- 两只最大承重 45kgs
- 闭门成 25°时带自动闭门功能




SH-8001



90° Straight edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8004



135° Straight edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8002



90° Straight edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8005



180° Straight edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8003



90° Straight edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8006



180° Straight double core edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8007



0° Straight edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8010



90° Bevel edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8008



T-shape 180° Straight edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8011



90° Bevel edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8009



90° Bevel edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8012



135° Bevel edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8013




180° Bevel edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8016



T-shape 180° Bevel edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8014



180° Bevel edge double core glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8017



90° Curved edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8015



90° Bevel edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8018



90° Curved edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8019



90° Bevel edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8022



0° Curved edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8020



135° Cured edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8021



180° Cured edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS



NON-DIGGING SHOWER HINGE




SH-8023



Non-digging 90° Straight edge glass to wall

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8026



0° Straight edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45*45MM 50*50MM




SH-8024



Non-digging 135° Straight edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8027



0° Straight edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45*45MM 50*50MM




SH-8025




Non-digging 180° Straight edge glass to glass

It's with self-closing function when the door is closed to 25°

Material	Glass Thickness	Max Bear-Loading
SS304 SS316	8/10/12MM	45KGS/2PCS




SH-8028




90° Straight edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45*45MM 50*50MM




SH-8029



90° Straight edge glass to glass

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8032



180° Straight edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8030




135° Straight edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8033



180° Straight edge glass to glass

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8031



135° Straight edge glass to glass

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8034



0° Bevel edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8035



0° Bevel edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8038



135° Bevel edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8036



90° Bevel edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8039



135° Bevel edge glass to glass

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8037



90° Bevel edge glass to glass

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8040



0° Bevel edge glass to wall

Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM




SH-8041

180° Bevel edge glass to glass




Material	Glass Thickness	Size
SS304 SS316 ZINC	8/10/12MM	45°45MM 50°50MM



SH-8051




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8051R




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8052




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12MM



SH-8052R



- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12MM





SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜




Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色

SH-8053




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8055




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8053R




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8055R




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8054




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8057




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8054R




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8057R



- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM






SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜




Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色

SH-8058




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8061




- Material: Casting SS304/SS316
- Glass Thickness: 12/13.52/15MM



SH-8058R




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8061R




- Material: Casting SS304/SS316
- Glass Thickness: 12/13.52/15MM



SH-8059




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8058LR




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8059R




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8062




- Material: Casting SS304/SS316
- Glass Thickness: 17.52/21.52MM



SH-8070




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8080




- Material: Casting SS304/SS316
- Glass Thickness: 10/12/13.52MM



SH-8071




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8081




- Material: Casting SS304/SS316
- Glass Thickness: 10/12/13.52MM



SH-8072




- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8082




- Material: Casting SS304/SS316
- Glass Thickness: 10/12/13.52MM




SH-8073



- Material: Casting SS304/SS316
- Glass Thickness: 8/10/12/13.52MM



SH-8083



- Material: Casting SS304/SS316
- Glass Thickness: 10/12/13.52MM

