



佛山新思力德五金
FOSHAN NEW SLIDE HARDWARE



佛山新思力德建筑五金
电话: +86 16626956080
邮箱: INFO@NEWSLD.COM
地址: 广东省佛山市南海区大沥镇风雅新区八路1号

FOSHAN NEW SLIDE ARCHITECTURAL HARDWARE FACTORY
TELL: +86 16626956080
EMAIL: INFO@NEWSLD.COM
ADD: No.1-2 Fengya District, Dali Town, Nanhai District,
Guangdong Province, China 528251.



WECHAT



WHATSAPP



<http://www.newsld.com>

公司简介 COMPANY INTRODUCTION

佛山新思力德五金配件公司，致力于提供性能优越、美观实用的高品质门控五金，淋浴房五金与玻璃配件等。


主要产品包括：玻璃五金配件，浴室夹，卫浴滑轮，地弹簧，门锁，拉手，免挖坑地弹簧，吸盘，联动门吊轮，合页，配件和铝型材产品等。

Foshan NEW SLIDE Hardware Accessories Company is the specialized provider of high-quality door control hardware, bathroom hardware and glass fittings products. Our attention is focused on functionality and appearance. Our product range covers glass fittings, shower hinge, shower roller, floor spring, door lock, door handle, non-digging patch fitting, glass suction cup, synchronized door wheel, hinge, accessories, aluminum profile and etc.




公司始建于2007年，10多年来，不断引进先进生产设备、工艺流程和管理理念，并不懈追求着技术创新和品质提升。我们将ISO9001质量管理体系，灌输于生产和管理的每一个环节，以确保我们每一个产品均符合质量标准。我们秉承“质量立根本，诚信促发展”的宗旨，标准与个性的糅合，让我们的产品最大限度地满足了客户的个性品味和建筑主体的性能需求。

NSLD Established in 2007, with 10 years development, we constantly introduce advanced equipment, processing and management. We are committed to technical innovation, as well as the quality upgrading. We strictly carry on the quality standard ISO9001. Quality controlling goes through all procession, whereby ensuring that our product meets your discerning tastes and constructional requirements.



We are following the objective of QUALITY FIRST, CUSTOMER FIRST. Let the quality and service speak on our behalf. We are highly devoted to pioneering and innovation, with the favourable price, the outstanding quality, to make a concession to every customers.

通过多年努力，我们建立了自主品牌“思力德SILIDE”。凭借着良好的声誉，卓越的品质，精湛的研发能力和专业周到的售前售后服务，我们的产品热销欧美，中东、非洲，东南亚等多个国家。



Hopefully, we will have the opportunity to bring profits to you. With your support and trust, we have confidence to do the best for you!

以品质为代言，以服务作护航。我们立足本国，放眼全球，开拓创新，追求卓越。诚邀各界朋友携手合作，共创美好明天！





SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜



Green Bronze
青古铜



CUSTOMIZED COLORS
客户定制颜色

A006 标准配置 Standard Application




- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.

Φ22管浴室吊轮平面安装图
Installation of Φ22 pipe bathroom hanging wheel



Φ22管浴室吊轮截面安装图
Sectional installation of Φ22 pipe bathroom hanging wheel





- | | | |
|-------|----------|-------|
| 1、管座 | 2、Φ22管导轨 | 3、管夹 |
| 4、定位器 | 5、Φ8防跳杆 | 6、偏心轮 |

A007 标准配置 Standard Application




- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.

Φ25管浴室吊轮平面安装图
Installation of Φ25 pipe bathroom hanging wheel



Φ25管浴室吊轮截面安装图
Sectional installation of Φ25 pipe bathroom hanging wheel



- | | | |
|-------|----------|-------|
| 1、管座 | 2、Φ25管导轨 | 3、管夹 |
| 4、定位器 | 5、防跳钉 | 6、偏心轮 |


A008 标准配置 Standard Application




- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.



平面安装图
Installation indication



截面安装图
Sectional installation indication



- | | | |
|-------|------------------|-------|
| 1、管座 | 2、 $\Phi 19$ 管导轨 | 3、管夹 |
| 4、定位器 | 5、 $\Phi 8$ 防跳杆 | 6、偏心轮 |


A009 标准配置 Standard Application



- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.




30x15平鵝橢圓管平面安裝圖
30x15 Installation indication of elliptical pipe



- 1、管座 2、 $\Phi 30 \times 15$ 椭圆管 3、管夹
4、定位器 5、防跳钉 6、偏心轮

30x15平鵝橢圓管截面安裝圖
30x15 Sectional installation indication
of elliptical pipe





SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜



Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色

A010 标准配置 Standard Application



A010-1-2



A010-2-2



A010-3-2



A010-4-2



A010-5-1



A010-6-1



A010-7-1 34x19 平椭圆管




A010-8-1 Φ8实棒



- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.


平面安装图

Installation indication



截面安装图

Sectional installation indication



A011 标准配置 Standard Application



A011-1-2



A011-5-2



A011-2-2



A011-6-2



A011-3-2



A011-7-1



A011-4-1




A011-8-2 40x15管



- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.


40x15方管平面安装图

40x15 installation of square pipe



40x15方管截面安装图

40x15 Sectional installation of square pipe



- 1、管座
- 2、Φ40x15管导轨
- 3、管夹
- 4、定位器
- 5、防跳钉
- 6、偏心轮



SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜



Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色



A012 标准配置
Standard Application

- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.




A012-1-2



A012-2-2



A012-3-2



A012-4-2



A012-5-1



A012-6-4



A012- Φ19管



A013 标准配置
Standard Application

- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.



A013-1-4



A013-2-4



A013-3-4



A013-4-2



A013-5-4



A013-6-1



A013-7-2



A013-8-2




A013-9-2 40x15 方管

A014 标准配置 Standard Application





●连接件五金配件可根据实际需要另行选配。
●Above application is just for reference,will be changed according to the actual scene.

30x10方管带防跳平面安装图
30x10 installation of square pipe with jumping-proof pillar





30x10方管带防跳截面安装图
30x10 Sectional installation of square pipe with jumping-proof pillar




Φ25圆管截面安装图
Φ25 Sectional installatio
indication of elliptical pip

安装示例G
INSTALLING G
(根据门实际宽度确定尺寸
,尺寸>55MM (as required
by installation,size > 55MM)



OW=overpanel width
SW=sidelight width
DW=door width








Φ25圆管截面安装图
Φ25 Sectional installation
indication of elliptical pipe

安装示例G
INSTALLING G

(根据门实际宽度确定尺寸
,尺寸>55MM (as required
by installation, size > 55MM)





OW=overpanel width
SW=sidelight width
DW=door width




Φ25圆管截面安装图
Φ25 Sectional installation
indication of elliptical pipe


安装示例G
INSTALLING G

(根据门实际宽度确定尺寸
,尺寸>55MM (as required
by installation, size > 55MM)





OW=overpanel width
SW=sidelight width
DW=door width






Φ25圆管截面安装图
Φ25 Sectional installatic
indication of elliptical pip





OW=overpanel width
SW=sidelight width
DW=door width

安装示例G
INSTALLING G

(根据门实际宽度确定尺寸
尺寸 ≥ 55MM (as required
by installation, size ≥ 55MM)



Φ25圆管截面安装图
Φ25 Sectional installatic
indication of elliptical pip



OW=overpanel width
SW=sidelight width
DW=door width

安装示例G
INSTALLING G

(根据门实际宽度确定尺寸
尺寸 ≥ 55MM (as required
by installation, size ≥ 55MM)



SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金




Red Bronze
红古铜



Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色





Φ25圆管截面安装图

Φ25 Sectional installation
indication of elliptical pipe

安装示例G


INSTALLING G
(根据门实际宽度确定尺寸
尺寸>55MM (as required
by installation, size > 55MM))





OW=overpanel width
SW=sidelight width
DW=door width

A021 标准配置

Standard Application



- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.





SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜




Green Bronze
青古铜

A022 标准配置 Standard Application




●连接件五金配件可根据实际需要另行选配。
●Above application is just for reference, will be changed according to the actual scene.



A023 标准配置 Standard Application



●连接件五金配件可根据实际需要另行选配。
●Above application is just for reference, will be changed according to the actual scene.





SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜







Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色

A024 标准配置 Standard Application



- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.




- | | | |
|-------------------|----------------------|----------------|
| 1. 管座 | 2. 管夹 | 3. 滑轮 |
| 4. 防跳钉 | 5. 止摆器 | |
| 1. Pipe bracket | 2. Glass fixed clamp | |
| 3. Sliding roller | 4. Glass fixed nail | 5. Floor guide |

玻璃厚度: 8-10mm
Glass Thickness: 8-10mm
移门宽度: < 1500mm
Glass Door Width: 8-10mm
最大承重: < 65kg
Max. Load: 8-10mm





注: 此款带缓冲器, 边距
开孔需要按照淋浴房实
际宽度进行数据调整

1. 活动玻璃
2. 固定玻璃
3. 管夹
4. 偏心轮

A025 标准配置 Standard Application



- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.





- | | | |
|-----------------|-------------------|---------------------|
| 1. 管座 | 2. 滑轮 | 3. 防跳钉 |
| 4. 定位器 | | |
| 1. Pipe bracket | 2. Sliding roller | 3. Glass fixed nail |
| 4. Localizer | | |

玻璃厚度: 8-10mm
Glass Thickness: 8-10mm
移门宽度: < 1500mm
Glass Door Width: 8-10mm
最大承重: < 65kg
Max. Load: 8-10mm

A083 标准配置 Standard Application





- 连接件五金配件可根据实际需要另行选配。
- Above application is just for reference, will be changed according to the actual scene.




- | | | |
|-------------------|------------------------|-------|
| 1. 管座 | 2. 防撞胶 | 3. 滑轮 |
| 4. 止摆器 | | |
| 1. Pipe bracket | 2. Anti-collision glue | |
| 3. Sliding roller | 4. Floor guide | |


- 玻璃厚度: 8-10mm
Glass Thickness: 8-10mm
- 移门宽度: < 1500mm
Glass Door Width: < 1500mm
- 最大承重: < 65kg
Max. Load: < 65kg





A084 Sliding door hanger (2PCS) The maximum weight 120kg





A085 Sliding door hanger (2PCS) The maximum weight 120kg



A086 Sliding door hanger (2PCS) The maximum weight 120kg




A087 Sliding door hanger (2PCS) The maximum weight 120kg






木移门吊轮
材质: 优质SS304
表面处理: 砂光/镜光
适合木门厚度: 35-50mm
适用: $\Phi 25$ 管
Wooden door lifting wheel
Material: high quality SS304
Surface treatment: Sanding/mirror light
Suitable for wood door thickness: 35-50mm
Apply to: $\Phi 25$ tube



木移门吊轮
材质: 优质SS304
表面处理: 砂光/镜光
适合木门厚度: 35-50mm
适用: $\Phi 25$ 管
Wooden door lifting wheel
Material: high quality SS304
Surface treatment: Sanding/mirror light
Suitable for wood door thickness: 35-50mm
Apply to: $\Phi 25$ tube





木移门吊轮

材质: 优质SS304

表面处理: 砂光/镜光

适合木门厚度: 35-50mm

适用: $\Phi 25$ 管


Wooden door lifting wheel

Material: high quality SS304



Surface treatment: Sanding/mirror light

Suitable for wood door thickness: 35-50mm

Apply to: $\Phi 25$ tube





































































滚滑门系列
Sliding Door Series
Bathroom Hardware

Model	Front View	Top View	Side View
A101			
A102			
A103			
A104			
A105			
A106			
A107			
A108			
A109			
A110			









A280



A281



A282



A283



A284



A285



A286




A289




A290



A295




A296




A297

安装示例 A
INSTALLING A




地弹簧
FLOOR SPRING

安装示例 B
INSTALLING B




地弹簧
FLOOR SPRING

安装示例 C
INSTALLING C

















地弹簧
FLOOR SPRING

安装示例 D
INSTALLING D



地弹簧
FLOOR SPRING





SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜




Green Bronze
青古铜


CUSTOMIZED COLORS
客户定制颜色




A315




A316



A317




A318




A319




A320




A321




A322




A323




A324




A325




A327




A326




A328



A329







A330




GAOSHENG
INDUSTRIAL
PRODUCED BY






Components and assembly of the wall fixing




For glass/glass corner connectors for 10mm and 12mm thick toughened glass.




A340

玻璃与墙体固定件
Adjustable single point fixing CS
(不可调节, 高度6mm)
Not adjusted 6mm




A341-1

玻璃与墙体固定件
Adjustable single point fixing CS
(可调节, 调节位8.5~10.5mm)
Adjustable, adjusted 8.5mm~10.5mm




A341-2

玻璃与墙体固定件
Adjustable single point fixing CS
(可调节, 调节位10.5~12.5mm)
Adjustable, adjusted 10.5mm~12.5mm



A341-3

玻璃与墙体固定件
Adjustable single point fixing CS
(可调节, 调节位12.5~14.5mm)
Adjustable, adjusted 12.5mm~14.5mm





SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金




Red Bronze
红古铜




Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色




A341-4

玻璃与墙体固定件
Adjustable single point fixing CS
(可调节, 调节位22~26mm)
Adjustable, adjusted 22mm~26mm




A342

玻璃与墙体固定件
Adjustable single point fixing CS
(不可调节, 高度6mm)
Not adjusted 6mm




A343

玻璃厚度: 10 ~ 12mm
主要材质: 304不锈钢
表面处理: 拉丝、镜光、金色




A346

玻璃厚度: 10 ~ 12mm
主要材质: 304不锈钢
表面处理: 拉丝、镜光、金色




A347

玻璃厚度: 10 ~ 12mm
主要材质: 304不锈钢
表面处理: 拉丝、镜光、金色




A348

玻璃厚度: 10 ~ 12mm
主要材质: 304不锈钢
表面处理: 拉丝、镜光、金色




A349

玻璃厚度: 10 ~ 12mm
主要材质: 304不锈钢
表面处理: 拉丝、镜光、金色




A350


玻璃厚度: 10 ~ 12mm
主要材质: 304不锈钢
表面处理: 拉丝、镜光、金色




A360




A361




A362




A363




A364



A365



A366



A367



SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金




Champagne
香槟金



Red Bronze
红古铜



Green Bronze
青古铜



浴室连接件系列

Bathroom Connector Series

主要材质: 不锈钢、黄铜、锌合金


Main material: Stainless steel, Brass, zinc alloy

表面处理: 拉丝、镜光


Finish: Drawbench, Mirror




A401




A402




A403




A404




A405




A406




A408




A412




A414




A416




A407




A409




A413






















A415



A417







浴室连接件系列
Bathroom Connector Series

主要材质: 不锈钢、铜
Material: Stainless steel, Brass
表面处理: 镜光、拉丝
Finish: Mirror, Drawbench
适合门厚: 8~12mm
Door thickness: 8~12mm
适合范围: 钢化玻璃门
Available for: Toughened glass door

 N-102	 N-103
 N-105	 N-106
 N-107	 N-108
 N-109	 N-110
 N-111	 N-112



SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金




Red Bronze
红古铜




Green Bronze
青古铜


CUSTOMIZED COLORS
客户定制颜色



N-113




N-114




N-115




N-117



N-118




N-119




N-120




N-121



N-122




N-123




N-124



N-126



N-128



N-125



N-127




N-129



N-130




N-133




N-134




N-135



N-136




N-137




N-138




N-141




N-145




N-153



N-154



N-155



N-163

主要材质: 不锈钢、铜
Material: Stainless steel, Brass
表面处理: 镜光、拉丝
Finish: Mirror, Drawbench
适合规格: 19x19, 22x22, 25x25, 30x10, 30x15 钢管
Applicable for: 19x19, 22x22, 25x25, 30x10, 30x15 steel tube
适合门厚: 8~12mm
Door thickness: 8~12mm
适合范围: 钢化玻璃门
Available for: Toughened glass door



CUSTOMIZED COLORS
客户定制颜色



N-201单夹



N-202单边夹



N-203双边夹



N-204方夹



N-205加长方夹



N-206单夹



N-207单边夹



N-208双边夹



N-209铝方形夹



N-210四方夹



N-211单夹



N-212单边夹



N-213双边夹



N-214玻璃夹



N-215半圆夹



N-215 单边夹



N-216 双边夹



N-217 双边夹



N-218 双边夹

材质: 不锈钢、铁
表面处理: 拉丝/亮光
适合玻璃: 5~12mm
适用范围: 玻璃柜门
Material: Stainless steel, Iron
Finish: Satin, Mirror
Suited Glass: 5~12mm
Available For: Glass cupboard door





SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜




Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色




N-301




N-302




N-303




N-304




N-311



N-312



N-314



主要材质: 不锈钢
Material: Stainless steel
表面处理: 拉丝、镜光
Finish: Drawbench, Mirror



N-501



N-502



N-503




N-504



N-505



N-506



N-507



N-508



N-509



N-510



N-511






N-512



N-513




N-514







A450




A451




A452




A453




A454




A455




A456




A457



A458




A459





- 适用门厚: 10~12mm
- 主要材质: 不锈钢
- 表面处理: 镜光、拉丝、钛金
- Door thickness: 10~12mm
- Main material: Stainless steel
- Finish: PSS, SSS, GP




A500




A501




A502



A503




A504







A550




A551




A552




A553




A554




A555




A600




A601




A602



A603



A604



SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金




Red Bronze
红古铜




Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色








M-323 Rectangle 90° Single




M-324 Rectangle 90° Double




M-325 Rectangle 135°




M-326 Rectangle 180°




Material: Stainless steel
Finish: Mirror, Drawbench
Load: 45kg
Door thickness: 8~12mm
Uses: suitable for a wide 800-1000mm,
8-12mm thick tempered glass doors.




M-101 Bevel 0°




M-103 Bevel 90° Single




M-104 Bevel 90° Double




M-105 Bevel 135°




M-106 Bevel 180°




M-107 Bevel 90° Double




M-108 Bevel 0°




Material: Stainless steel
Finish: Mirror, Drawbench
Load: 45kg
Door thickness: 8~12mm
Uses: suitable for a wide 800-1000mm,
8-12mm thick tempered glass doors.




M-111 Square 0°




M-113 Square 90° Single




M-123 Square 90° Single




M-124 Square 90° Double




M-114 Square 90° Double




M-115 Square 135°




M-125 Square 135°




M-126 Square 180°




M-116 Square 180°



M-117 Square 90° Double




M-133 Arc 90° Single




M-134 Arc 90° Double


Material: Stainless steel
Finish: Mirror, Drawbench
Load: 45kg
Door thickness: 8~12mm
Uses: suitable for a wide 800-1000mm,
8-12mm thick tempered glass doors.



M-118 Square 0°



M-135 Arc 135°



M-136 Arc 180°



SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜




Green Bronze
青古铜


CUSTOMIZED COLORS
客户定制颜色




M-413




M-414




M-403




M-404




M-406




M-464




M-412




M-409




M-410




M-469




M-470




M-466



M467






M-431




M-432




M-433



M-434



M-435



M-436



M-281

M-282

M-284

M-286

Material: Stainless steel, brass

Finish: Mirror, Drawbench

Door thickness: 8~12mm

Uses: suitable for a wide 800-1000mm,
8-12mm thick tempered glass doors.




M-502 0° Semi-circle



M-503 90° Single Semi-circle




M-504 90° Double Semi-circle




M-505 135° Single Semi-circle




M-506 135° Double Semi-circle



M-507 180° Single Semi-circle



M-508 180° Double Semi-circle



M-509 Semi-circle T Shape




M-510 Semi-circle Cross


Material: Stainless steel, brass
 Finish: Mirror, Drawbench
 Door thickness: 8~12mm
 Uses: suitable for a wide 800-1000mm,
 8-12mm thick tempered glass doors.




M-512 0° Straight




M-513 90° Single Straight




M-514 90° Double Straight




M-515 135° Single Straight




M-516 135° Double Straight



M-517 180° Single Straight




M-518 180° Double Straight



M-519 Party T Shape




M-520 Party Cross




M-522 0°




M-523
 90° Single




M-524
 90° Double




M-525
 135° Single




M-526
 135° Double




M-527
 180° Single




M-528
 180° Double




M-532 0°




M-533
 90° Single



M-534
 90° Double




M-535
 135° Single




M-536
 135° Double

Material: Stainless steel, brass, zinc alloy
 Finish: Mirror, Drawbench
 Door thickness: 8~12mm
 Uses: suitable for a wide 800-1000mm,
 8-12mm thick tempered glass doors.





M-537
 180° Single




M-538
 180° Double




主要材质: 不锈钢、铜、铝合金
 Material: Stainless steel, Brass, Aluminum alloy
 表面处理: 镜光、拉丝
 Finish: Mirror, Drawbench
 适合玻璃: 8~12mm
 Glass Door: 8~12mm
 适合范围: 钢化玻璃门
 Available for: Toughened glass door






N-611



N-612



N-613




N-614




N-615




N-616




N-617




N-618



N-619




N-620




N-621




N-622



N-623



N-624



N-625



N-626



N-627



N-628



N-629



N-630




N-631



N-632




N-633



N-634



N-635



N-636



N-637



N-638



N-639



N-640



SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜



Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色



N-650




N-651




N-652




N-653



N-654




N-655



N-656



N-657




N-658



N-659




N-660




N-661

主要材质: 不锈钢+水晶
Material: Stainless steel+Crystal
表面处理: 镜光
Finish: Mirror
适合玻璃: 8~12mm
Glass Door: 8~12mm
适合范围: 钢化玻璃门
Available for: Toughened glass door



N-662



N-663



N-701

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:400 H:200 D:Φ25
L:450 H:250 D:Φ25
L:500 H:300 D:Φ25



N-702

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:275 D:Φ25
L:500 H:468 D:Φ32
L:600 H:562 D:Φ38



N-703

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:400 H:375 D:Φ25



N-704

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:400 H:375 D:Φ25



N-705

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:600 H:575 D:Φ25



N-706

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:275 D:Φ25



N-707

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:275 D:Φ25



N-708

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:325 H:300 D:Φ32



N-709

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:275 D:Φ25




N-710

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:275 D:Φ25



N-711

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:150 D:Φ25



N-712

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:250 D:Φ25



N-713

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:450 H:250 D:Φ25



N-714

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:400 H: / D:Φ25



N-715

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:425 H:250 D:38x17



SSS
砂光



PSS
亮光



Black Mat
哑黑



Golden
钛金



Champagne
香槟金



Red Bronze
红古铜




Green Bronze
青古铜

CUSTOMIZED COLORS
客户定制颜色



N-716

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:450 H:250 D:Φ25



N-717

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:450 H:250 D:Φ25



N-718

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:450 H:250 D:Φ25



N-719

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:500 H:300 D:Φ25




N-720

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:/ D:25x25



N-721

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:500 H:475 D:25x25
L:500 H:470 D:30x30



N-722

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:500 H:485 D:30x15



N-723

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:500 H:475 D:25x25



N-724

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:450 H:250 D:25x25
L:500 H:300 D:25x25



N-725

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:450 H:250 D:25x25




N-726

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:300 H:/ D:30x15




N-727

Material: polish/satin/镜光/拉丝
SIZE(mm):
L:450 H:250 D:30x15




N-801

With magnetic 135°




N-803

With magnetic 90°




N-805

180°




N-807





N-802

With magnetic 180°




N-804


0°




N-806




N-808



N-810



N-811



N-812